



Part Reference Guide

DR15840T

Applications

Manufacturer	Model	Series	Position
Saab		340	Main
Dornier	100	328	Main
Bae Systems (British Aerospace)	100	146	Aux
Bae Systems (British Aerospace)	200	146	Aux
Bae Systems (British Aerospace)	300	146	Aux
Bae Systems (British Aerospace)	RJ100	146	Aux
Bae Systems (British Aerospace)	RJ70	146	Aux
Bae Systems (British Aerospace)	RJ85	146	Aux

Technical Data

Ply Rating	Speed Rating (MPH)	Max Load (lbs)	Tubed/Tubeless	Chined
14	190	8200	Tubeless	No

Inflation & Dimensions

Size	24x7.7
Inflation Pressure Unloaded PSI	135
Inflation Pressure Loaded PSI	140
Inf Dim Width Shoulder	6.75
Inf Dim Width Max	7.65
Inf Dim Width Min	7.20
Inf Dim OD Min	23.30

Approvals

QTR Number	963
Test Spec	TSO-C62c
CAA EASA Approval	E12650 23/06/1982
FAA Approval	CC/8/2/2971 02/08/82
MOD Approval	DR15840T
NSN Approval	2620-99-0519405
Civilian/Military	Civilian Or Military

Inf Dim OD Max	24.15
Inf Dim OD Shoulder	21.50
Rim Dim Width Between Flanges	5
Rim Dim Ledge Diameter	10
Rim Dim Flange Height	0.91
Rim Dim Min Ledge Width	1.60