



Part Reference Guide

DR25523T

Applications

| Manufacturer | Model | Series | Position |
|---------------------------------|-------|--------------|----------|
| Bae Systems (British Aerospace) | | Jetstream 41 | Main |
| Bae Systems (British Aerospace) | | Atp | Main |

Technical Data

| Ply Rating | Speed Rating (MPH) | Max Load (lbs) | Tubed/Tubeless | Chined |
|------------|--------------------|----------------|----------------|--------|
| 8 | 190 | 4450 | Tubeless | No |

Inflation & Dimensions

| | |
|---------------------------------|------------|
| Size | 22x6.75-10 |
| Inflation Pressure Unloaded PSI | 95 |
| Inflation Pressure Loaded PSI | 99 |
| Inf Dim Width Shoulder | 5.95 |
| Inf Dim Width Max | 6.75 |
| Inf Dim Width Min | 6.35 |
| Inf Dim OD Min | 21.30 |
| Inf Dim OD Max | 22 |
| Inf Dim OD Shoulder | 19.85 |
| Rim Dim Width Between Flanges | 5.50 |
| Rim Dim Ledge Diameter | 10 |
| Rim Dim Flange Height | 0.81 |
| Rim Dim Min Ledge Width | 1.35 |

Approvals

| | |
|-------------------|----------------------------|
| QTR Number | 1137 |
| Test Spec | TSO-C62c |
| CAA EASA Approval | E13699 20/11/1986 |
| FAA Approval | VK/11/14/3241:86 14/11/86" |
| MOD Approval | DR25523T |
| NSN Approval | Not Declared |
| Civilian/Military | Civilian |