



Part Reference Guide

DR33222T

Applications

| Manufacturer | Model | Series | Position |
|--------------|-------|--------|----------|
| Bombardier | 1000 | Crj | Main |

Technical Data

| Ply Rating | Speed Rating (MPH) | Max Load (lbs) | Tubed/Tubeless | Chined |
|------------|--------------------|----------------|----------------|--------|
| 20 | 225 | 24925 | Tubeless | No |

Inflation & Dimensions

| | |
|---------------------------------|-------------|
| Size | H36x11.5-19 |
| Inflation Pressure Unloaded PSI | 221 |
| Inflation Pressure Loaded PSI | 230 |
| Inf Dim Width Shoulder | 10.35 |
| Inf Dim Width Max | 11.50 |
| Inf Dim Width Min | 10.90 |
| Inf Dim OD Min | 35.25 |
| Inf Dim OD Max | 36 |
| Inf Dim OD Shoulder | 34.3 |
| Rim Dim Width Between Flanges | 7.5 |
| Rim Dim Ledge Diameter | 19 |
| Rim Dim Flange Height | 1.2 |
| Rim Dim Min Ledge Width | 2.5 |

Approvals

| | |
|-------------------|----------------|
| QTR Number | 1623 |
| Test Spec | TSO-C-62e |
| CAA EASA Approval | EASA: 10049573 |
| FAA Approval | N/A |
| MOD Approval | DR33222T |
| NSN Approval | N/A |
| Civilian/Military | Civilian |